Collection no. 85

Chinnick & Walker

THE GLAMIS

DUPLICATE
CARBON BOOK

(Octavo Size)

Kimberley

NUMBERED

28/3 - 5/5/58

100 LEAVES IN DUPLICATE

Flexiflat
THERMO-PLASTIC BOUND

Kimberley's Trip

Pt. Augusta. Sth Australia 28·3·58

17537 Bookaloo.

17548 Stop. Red sand plain with Acacia Phgulacridium sp b, Moraba sp,
sowdenii on parkland density with Kochia Bupleurisica sp. (n), ? Kuyaeria sp.
sedifolia, Senecio and Atriplex vesicaria
scattered throughout. Odd Rhagodia sp present.
Moraba ♂ [CH 236-237] on Kochia sedifolia.

17557 Woocalla

17569 Open gibber downs with sparse Chorizoceras terminifera, Ephamtus
cover of Atriplex vesicaria, Bassia sp. quadrilobus, Genus nov 6 (?) sp, Capparissa (j)
Tragus australis and Euphorbia drummondi.
In shallow crab holes, Ptilotrichia pectinata.

17623 camped.

29·3·58

17623 depart.

17631 Stop. Sand covered gypsum hills Chorizoceras terminifera, Perasostichus
overlooking Lake Hart bearing A. brachystac. longifolius, Unisa guttenbergia
H oleofolium and Arumesa. Ground cover
sparse with Enneapogon sp dominant.
Scattered Azoon sp. and then. auricomum.
Nymphs of Unisa, Unisella. Plants green.

17651 Wuramanna

17656 Stop. Red-purple lateritic gravelly hill as a base between sandy flats. Practically level. Bearing scatter plants of Kochia sedifolia, A. vesicaria, Chenop. sp. (auricomum) and odd Rhagodia spinescens. Pasture limited to Dactyloteniun radulans, Bochaea diffusa, Azooma sp. seedlings.
Buforaxia sp. (i), Cuparessa sp. (i)

17672 Coondambo.

17674 Stony downs with patches of calcholes. Stony area bearing scatter Bassia sp. odd A. spongiosa & K. brachyptera. Calcholes S.M. with Brachycombe sp. Diplachne fusca Suda sp and Panicum sp. Area green from recent rains.
Cuparessa sp. (i)

17706 Kingoonya

17710 Stop. Kochia sedifolia assoc. with scattered A. aneura & pruinosa, odd E. latrobei. Some Enneapogon & Danth. nov. 6 (C. sp. 2) in small patches. Moraba (not caught) seen on the sedifolia.
Senecio sp. 2, Calotis cuneifolia, Senecio nov. 4, Quailtk. hamulata (i)

17717 Stop. Stony slope of small hill Typaja sp., Cotula ~~sp.~~ sp., A. vesicaria dominant with miscellaneous

Bzilofa ochroacea, Chorioncetes terminifera, annuals present. Enneapogon nigrescens, Tapeta Damupes flavescens, Traqus australis, Eragrostis dielsii and Japonica.

17735 Stop. Gibber - pebbly downs. A. vesicaria, Cuparessa Chortojchtes terminifera and stunted A. sedifolia dominant. Some sp. (j), Acinus nov. 4, Qualetta maculata (j), A. spongiosa and Sarcolaena sp in odd drainage basins. Practically no ground cover except for the shrubs.

17765 Mt. Eba.

17775 Stop. Purple lateritic gravel plain bearing A. aneura and Eremophila Qualetta maculata (j); Cyperaceae sp. (j), Acinus nov. 4, sp. Mosaic patchwork of gravel and non-gravel areas. Non stone area bearing Bassia sp. Aristida arenaria, Atriplex sp.

17776 Camped. Scarabs to light

30.8.58.

17788 The Twins H.S

17836 Ingomar H.S.

17842 Stop. Red sand hills bearing Callitris sp., Ulmisa guttulosa, A. brachystachya, A. aneura with Luc Pyarosthetus scrinitus, Chortoicetes terminifera, cockatoos on edge of shallow clay pan.

Moraba sp.
A vesicaria scattered on lower portions of sand ridge. Aust. arenaria, Bochavia diffusa Trichinum sp and Sida sp and suffering ground cover extremely sparse.

17917 Creek in stone plain. Pebbly Capparis sp., Beplispera sp., Chorizoceras area with mosaics of bare stony + shrubby terminifera, Zonia sp., Troggatina australis, complex. A vesicaria K. sedifolia with Capparis sp., Moraba sp.
Astrebla pectinata, Eragrostis dielsii in crab holes

17886 Coober Pedy

17887 Stop Stony flats and gullies leading down to plains. A vesicaria and K. sedifolia Beplissia sp., Atropis macrosora, dominant in patches mainly in shallow Buforania sp., Ecphantus quadrilobus, Apophopis sp., Capparis sp., Capparis sp., gullies + drainage holes. Salsola Monistria sp. (i), Bulota ochracea, Kochia sp. Abutilon sp. Dactyloctenium radulans 5. 4. Teichilimnia sp., Enneapogon 5 (?) sp., Raniella Eragrostis sp. Raniella from stones. sp., Moraba sp.
17914 Mabel Ck H.S.

17924 Stop Gibber plain. Open stony Capparis sp., Buforania sp, Ecphantus area dissected with small runnels + mounds, quadrilobus, Chorizoceras terminifera, bearing H. tetragonophylla. Some Eragrostis australis, Moraba sp. Eremophila sp. in stones. Some crab holes with Astrebla pectinata and Eragrostis sp. Scattered Atriplex vesicaria bushes among the "crab" stone area.

Acacia conica, Troggatina

17933 Stop Creek area in gilber plain. Triodia australis, Pycnostictus seriatus, Phorocate. Lined with H. aneura and odd tuc sp. Acacia tephrina, Eriachne pulchella, Eremophila longifolia, Senna artemisioides, Solanum lasiophyllum, Cassia sp. Ground cover Eragrostis eriopoda, Aristida arenaria, Enneapogon polyphyllus, Bulbine semibarbata, Portulaca oleracea, Tribulus terrestris, Boerhavia diffusa, Euphorbia drummondii, Euphorbia tannensis, Euphorbia boophthona, Euphorbia australis, Euphorbia sp., Euphorbia coghlanii, Euphorbia sp., Euphorbia sp., Euphorbia sp.,

18137 De Rose Hill H.S.
18152 Sundown H.S.
18153 Camped. At Light.

1.4.58

18153 Left camp.
18170 SA-NT. Border
18174 Mt. Cavenagh H.S.
18184 Kulgera H.S.
18187 Granite outcrop on a granite sand plain. Morton Bay fig? Dodonea sp. Callitris sp., Pycnostachys urticifolius, Cyperus sp. A. Kempeana. Aristida sp. Eragrostis sp., Macrotoma sp., Ephantus, Cyndriloius, Isoetes sp. Rocks on rock crevices. Sand plain Genus nov. 6 (?), Pzelota ochracea, Apotropis sp. Genus nov. A. aneura.

18230 Erldunda H.S.
18253 Red Spinifex covered sand hills with A. Eriopoda. Cas sp. Pzelota sp., Genus nov. Eremophila sp., Umbrella gutturosa, Acacia sp. Ground cover Spinifex Triodia basedowii. Annual Grass.

18270 Lower slope of rocky range Buforania sp., Papilionia sp., Acacia sp. Stunted A. aneura. Rocks Dissiphyta sp., Umbrella gutturosa, Quadrella sedifolia Triodia basedowii Perennial Spinifex

maculata, Pycnorhachis serratus, Callitera
area. On sandy base Salsola dominant,
variegata sp. Genus nov. 6(?) sp. 2, Genus nov. 5(?) sp. 4,
with Eragrostis eriopoda.
Tapesta sp., Azelota ochracea.

18280 Henbury H.S.

18293 Stop Spinifex sand plain.
Macrotona sp. 14, Parasphinx sp.,
P. aneura, with odd tuc gamophylla
Azelota sp., Azelota ochracea, Genus nov. 6?,
Triodia basedown dominant ground
Rusuphia sp. 4, Macrotona sp. 18, Austracris gutt.,
cover. Rusuphia sp. 5

18300 Renner Rock H.S. - Hugh River

18302 Stop Stony James Ra.

Lateritic outcrop. A. kempiana Eom.
Buforania sp., Macrazelota cervina, Catespa
latrobey on sides together with stunted
sp., Beplessis sp., Strophis maculosa, Callitera
H. aneura. Eragrostis eriopoda in rock
variegata, Destratagga sp., Moraba sp.,
crevices and odd Datura? Sandy area
Perbellia sp., Azelota ochracea, Rusuphia sp. M. 8,
at base. Eragrostis eriopoda dominant.
Urnisa guttulosa, Macrotona sp. 8
18313 Lamped. at light

Warramunga sp.,
Moraba sp.,

2.4.58

18313 departed.
Genus nov. 6(?) sp. 2, Discotana longipes,
18326 Waterhouse Ra. Similar in
Buforania sp., Strophis aculeosa, Chortoicetes
structure, vegetation as 18302
terminifera, Peakesia sp., Urnisa guttulosa,
Moraba in debris but suspected of living
Cuprassa sp., Azelota ochracea, Pycnorhachis
on Eragrostis eriopoda. serratus, Callitera
variegata,
Macrazelota
cervina,
Genus nov.
56 callopus

18360 Alice Springs.

18385 Alice Springs depart.

18390 Stop Granite outcrop of the Macdonnells. A. Kempiana Cassia. Cateopa sp., Desertazia sp., Stropia maculosa, eremophila and A. aneura. Themida Peakesia sp., Macrozyglon cervina, Rhyllota arenacea, Salsola Kali and Enneapogon ochracea, Moraba spp. (2) sp formed a sparse ground cover.

18405 Camped. Mulga scrub.

3.4.58

Moraba sp., Macrolophotia sp., Paucostrotus benarius

18406 depart

18410 Stop A. aneura plain. Mulga dominant with odd Cassia sp and Eremophila sp bushes. Pasture sca Hereil Acrotata ochracea, Desertania longirugosa, Peakesia sp., Macrofoma sericeofrontis, Bennuvuntaneura, Perpulia sp.1, Stropia maculosa, and sparse composed of Enneapogon Trioadathula australis, Kondaepidia sp. Paultrotus gutturosa, Dactyloteneum radulans and Eragrostis japonicas. Dry conditions throughout

18432 Pk. 13

18442 A. aneura and Triodea pungens. Macrotoma sp. 8, Stropia sp., Qualitta maculata, some A. Kempiana. Little or not Caforesca sp. 2, Desertaria longerigosa, Warramunga sp. ground cover except for the Triodia

18468 Alderson

18474 Granite range crossing the road bearing Callitris sp. Spinyleafed Acacia and Macrotoma sp. 10, Desertaria sp.

spinifex. Annuals etc completed dry + disintergated. Cassia artesimoides at base of out crop on spinifex plain. Spinifex - Triodia pungens.

18504 T1 - Tree

18509 Stop Spinifex sand plain. Triodia pungens dominant, with Grevillea sp. Warramunga sp., Coltitera sp. 1, Ammiella sp., Desmodium longifugosa, Rusyplia sp. 4, Euc terminalis + odd Euc papuana. Azelota sp. 1 Scattered Eremophila sp + Acacia shrubs present.

18534 Stop Alstonia sp. dominant on sandy loam country with Eremophila sp. Moulstria sp., Azelota ochracea, Peakesia sp. One a purple-flowered prostrate bush to 1' high + 2' across. Odd Euc terminalis present. Little herbage cover except for dry tussocks of Eragrostis eriopoda. Nordba sp.

18543 Stop. Spinifex sand plain with Triodia sp. Peakesia sp., Macfarlana sp. 15, odd Euc terminalis present. Some M. sp. 8, M. sp. 18, Azelota ochracea, A. sp. 1, A. sp. 4, Rusyplia badia, R. sp. 8, Peakesia Cassia artesimoides and Cassia eremophila Little or no other herbage. Some Aristida longigugosa, Paraplurum sp., Peakesia sp., Tussocks present. Dodonea shrubs as occas

18560 = 18543

18576 Barrow Creek

1594 Campst, Night.
Fl. 13. III. 15.

4.9.58.

1594 Campst
1617 Sphagn Bar Sphagn. cuspid. fasc.
Scattered Cryptog. sp. N. hamifor.
Pt. Polytrichi and Cassia p. Tetraphis.
p. 11, No. 10 & p. 3, M.
Sphagn. cuspid. Cassia p. Tetraphis.
Sphagn. recurvum. Some Sphagn.
Cryptog. corticola, Nostoc sp and
Nostoc sp.

1618 Stop Shrub association with
Cryptog. sp. 2
Scattered Cryptog. with
fair luxuriance of Cassia corticola
and a Tetraphis. Tuft of Hook. fil.
Campylop. incurv and scattered Tufts
of Fissid.

1619 Woodstock.

1620 Slat. Stony hill at base of
Vesuvius crag. Sphagn. subsec.
hill with Hook. fil. plumosa and
Cassia sp. Crag shows Trichost.
tophac with Pterog. Nostoc sp with
Cryptog. Tuft of Fissidens sp.

1854 Kansas Springs

1860 Stony mesa with annual

1908 Elliott

1932 Nevada Mt Wales

1952 No 9. Bern

1953 Tundra. Black and plain brown

Lower Forest (mostly a Eschscholtzia sp.)

19063

19778 Savannah woodland of A. dolichostachya, Bidiandella sibthorpioides, Eriachne sp. Grassland with Grevillea sp., Stylidium sp. with some low annual vegetation

19967 Harrowfield Water Hole

19992 Heavy soil plain (flood plain)

19993 No 11. Bore.

19997 Stylidium woodland. Forest formation on sandy soil. Bird breeding in mallee trees. Savannah shrubs of Stylidium and Eriachne. Debris of the animals present.

19016 Savannah woodland of Eu

[illegible] Block built.
[illegible] Some pebbly [illegible]
Sharp [illegible] Hoplitis sp. Stipa sp. well some
[illegible] Ceratina fulva.

19021 No 12 Bore comp.

[illegible]

19022 Infant.
[illegible] Stip. Stone hill (round pebbles) [illegible]
[illegible] Stip. Stone hill (round pebbles) [illegible]
[illegible] Stip. Stone hill (round pebbles) [illegible]

19C83 Stony hill [illegible] Aristida sp
[illegible] Eragrostis sp. Pentameris
[illegible] Themeda triandra Forsk. Festuca
[illegible] Eragrostis sp. Aristida
[illegible] Cymbopogon sp. (yellow flowers) Festuca
[illegible] Euphorbia, Conditions of position

19C84 Stony flats dominated by small [illegible]
[illegible] Bloodwoods and another [illegible]
[illegible] Peltaria sp. Pentameris
[illegible] Eragrostis sp. Aristida
[illegible] Themeda triandra Forsk. Festuca
[illegible] Eragrostis sp. Aristida
[illegible] Cymbopogon sp. Aristida

Halesia sp.

19099 Campsd at Light. No. Exc

8 a 56 at Limbed 1924 9

19104 Stem, bell with 2 large basitonic

Hapsiana sp. 1, Hapsiana of. 1, Lemna nov. 15(?)

Rochya of. 1 Edotrimargo

19113 No 44 Exc

Zebrina sp., Lemna nov. 66 sp. 2, Tapiliria

pulchra, Lemna nov. 15 (?) sp. 1,

1956 Wave Hill H.S

1956 Wave Hill Police Sta

10·4·58

[illegible] sp. [illegible]
Nemesia sp. nov. [illegible]
sp. [illegible] sp. [illegible] sp. [illegible] 12(?) sp. 6,
[illegible] Rhytida sp. 2, Gallibala sp. [illegible]
[illegible] Stipa Rhytida [illegible] scala sp.
forming the ground work. Soil sandy and
rocky gradually.

1962 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1963 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1964 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1965 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1966 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1967 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1968 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1969 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1970 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1971 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1972 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1973 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1974 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1975 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1976 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1977 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1978 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1979 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1980 Heard Hawk with a coffee-coloured Mygalomorph, Cyrtopilladia sp. 2, Nemesia sp. Hawk
[illegible] Stipa sp. Soil sandy [illegible]
[illegible] limestone [illegible] Conditions dry.

1935 [illegible]

1938 [illegible]

1938 [illegible]

1938

Hall's Creek 1945

1945 Hall's Creek new site

Macrofauna - p. 8, Mesopl. 5, Nuculana, Strophomena 4,
Macrofauna p. 27,

17 VI 56 Cranfell at Lodt.

Chaetoceros lorenzianus Grun., Mass. Bay sp. 16

13 VII 56

19 206 defrocked.

19 513 Turn off to sandy

19 513 sandy and [illegible]

[illegible] scriatus,

Cat. microthrix Pauduva sp.

[illegible] and filiformis arcuata.

[illegible] mirabilis, Cocconeis sp. Amphora

[illegible]

19 514 [illegible]

[illegible]

Navicula sp. 27, [illegible]

Tall open Eucalypt forest with some Stipa sp. Lasiopetalum sp. Prostanthera sp. Grevillea sp. Acacia sp. Banksia sp. Epacris sp. Xanthorrhoea sp. Hakea sp. Eucalyptus sp. (Stringybark) and Eucalyptus sp. (White Gum) and Eucalyptus sp. (Yellow Gum) and Eucalyptus sp. (Red Gum) and Eucalyptus sp. (Blue Gum) and Eucalyptus sp. (Peppermint) and Eucalyptus sp. (Manna Gum) and Eucalyptus sp. (Messmate) and Eucalyptus sp. (Ironbark) and Eucalyptus sp. (Box) and

2:250 Hall's Creek.

2:243 Hooker Creek Gl.

2:254 Hall's Creek.

1C 4:08

2:256

26 & 28.

~~6~~

~~3~~

20562 Main Rd to Wyndham

20523

20592 Rd from Dawson – Wyndham

N. Nelson

20615 Newry A S

20612 Camped at light.

27 & 28

20618 dispatched.

20630

sandy loam and silt underlain [illegible]
sp., Penstemon sp., [illegible] sp., Ranunculus
sp., Lupinus sp., Castilleja sp., Agoseris sp.
Agropyron sp. Poa sp. Bromus sp.
Bouteloua sp. and several [illegible] sp.
Light and soft [illegible] sp. Grass
with good stand and Artemisia sp.
Heavy sod characterized by Elymus
and Artemisia sp. grasses Bouteloua
and forbs only on heavy sod
areas.

20643 Slope of [illegible] hilly
[illegible] Soil is [illegible] Grass
Typical silt loam [illegible]
12(?) of 7,8, [illegible] Tr. [illegible]
[illegible] Bouteloua sp. Agropyron sp.
Poa sp. [illegible] Artemisia sp.
Agropyron sp. [illegible] Bouteloua

20662

20692

20701

20709

well spaced grass Stipa
20717 Victoria River Depot (main)
20719 Timber Creek Police Stn.

28·4·57
20719 Timber Creek Police Stn
20733 Turn off to Katherine
20737 [illegible] Eucalyptus [illegible] Bauhinia
[illegible] Eucalyptus [illegible] Hakea sp
(Wattle) and mid Hakea sp Ground cover
mainly grass Stipa Sp. Hirtella present
condition dry
20741 [illegible] Eucalyptus [illegible] sp
[illegible] Hakea sp
[illegible] sp.
mid [illegible] Eucalyptus [illegible] Hirtella
[illegible] Hakea sp
20751 [illegible] Eucalyptus [illegible] sp.
20751 [illegible] Eucalyptus [illegible]
[illegible] Eucalyptus [illegible]
[illegible] Eucalyptus [illegible] Hakea sp
[illegible] Eucalyptus [illegible] Stipa and Aristida grass

20716 [illegible]

20717 [illegible]

20720 [illegible]

20817 [illegible]

20831 [illegible]

20839 [illegible]

20847 [illegible]

20847 [illegible]

20847 [illegible]

Cfr Whole area thickly covered with Florida

20361 Pebbly sea beach, Cape Florida - Nebula sp. Galliope gracilis and several other Europ. southern species in a pebbly like formation.

20870 Savannah woodland on sandy soil bearing several Europ. Florida. Ground cover consist of Nebula Florida and the succulent grass Kobresia.

20859 River Xing

20886 Cupressocrinites sp. Xanthocrinus sp. Schizocrinus sp. Dimerocrinus sp. Homocrinus sp. Stenocrinus sp. Pegocrinus sp. Rhodocrinites sp. Stenocrinus sp. all kept back by thickly leaved round cover Florida grass Cupressocrinus sp. with fronds.

20891 Area densely wooded with Florida trees, Cupressocrinus sp., Florida sp., Florida sp., Florida

21907 Katherine

21911 Katherine depart

21942 Adelaide River 5-1 NR. 1 light

30.4.58

21042 depart

21127 Darwin

21130 Depart Darwin

21217 Edith River (1 light)

1-5-58

21317 Edith River depart.

21738 = 30-1 N of Tennant Creek

2-5-58

21738 depart = 30-1 N of Tennant Creek

21773 Tennant Creek

21789 Mt Sanford Turn off

21820 Spinifex and Silver Spear Grass
Wood Hardwood. Medium sp
Taller to 8ft. Some Mulga but also
Desert conditions extremely dry.

21846 Same as for above.

Specimens taken and records filled in detail from

21874

21876 Fawcett

21911

21972 Burys Court

21973

21997 Southern

22071 Compton

3 5 58

22071 Defected. Tuberculous diff.

Rebellia sp. (?), Moraba sp. (?)
some Enneapogon on less stoney areas Moraln
on Enneapogon.

22221 Rocky range with scattered Peaksoia sp., Macrotona sp. 16, Adlappa
bloodwoods, Enneapogon dominant
Erythroptera, Heteropteglossoba carella, Erythropoma
ground cover with isolated clumps of
(?) sp. (?), Clippydria sp. 1, Genus nos. 15 (?) sp. 4,
Triodia (very green, soft & sticky)
Catespa sp.,
some ridges with good cover of shrubs.
Acacia sp. others Hibiscus sp present on
base gullies

22239 Rugged shale hills with
Catespa sp.; Genus nos. 12 (?) sp 2,
Enneapogon (very old) scattered throughout
Caloptilla sp.; Pycnostichus seriatus
spinifex on the more rocky ground.
On less rocky areas Enneapogon,
branch tops and some Stipa present.
Few Acacia shrubs.

22280 Clonclurry
22284 Camped

4.5.58

22284 depart.

22296 Basalt outcrops on rugged
Macrotona sp. 2, Clippydria sp. 1, Genus nos. 15 (?)
range country bearing scattered
sp. 4), Peaksia sp., Pycnostichus seriatus,
Bloodwoods. Main ground cover is
Goyaxea sp., Cyprapaulia sp., Moraba sp.
Triodia with Enneapogon on more

favoured locality. Quite a deal of miscellaneous annuals both grass and herbaceous plant growth.

22329 Black soil plain bearing Peakesia scintillialis
Astrebla elymoides. Treeless and on areas heavily grass[a] Chloris sp has taken over (annual like truncata)

22354 Mackunlay

22361 Open treeless self-mulching g
Peakesia scintillialis, Sagoonia sp.,
plain bearing Astrebla pectinata.
Genus nov. 80 sp. 1,
The Peakesia & Brachyscome macrotona
like specimens very numerous as nymphs
3-4/sq yd. No Chortocetes.

22392 Open treeless self mulching plain
Peakesia scintillialis,
with both Astrebla elymoides - pectinata
as co-dominants. Miscellaneous herbs
(solonaceous sp) grass. Nymphs of Peakesia
? macrotona numerous. 2-3 in sit. No
Chort.

22401 Kynuna

22435 Black soil plain Astrebla
Austracris guttulosa, Peakesia scinti-
dominant. Some Sida sp in fol and
lialis, Genus nov. 80 sp. 1.
Plant dies grass on roadside. Acacia
Acacia, stony compound leaf.

Buforania sp., Cupressula sp., Peaksia sp.,
22458 Low range of limestone hills
Genus nov. 80 sp. 2, Maccarpata cerving, Genus
bearing Acacia opuldanei on its
nov. 28 spl., Genus nov. 60 sp.
crest and sides. Two sp of Eremophila
(one low 6' high other shrub to 3ft.
On base Enneapogon sp.
22494 Camped at light

5.5.68
22494 Depart.
22503 Wanton
22533 Lorraine
22584 Open self mulching black
Peaksia semitibialis
soil area - Treeless. Mitrebla pectinat
Ricanthium sp, Flinders grass and
miscellaneous annuals & herbs.
22572 Morella
22576 Black soil plain bearing
Peaksia semitibialis, Zabrala sp.
scattered Acacia sp (spiney compound
leaf) Ground cover drying off consisting
of Mitrebla, Panicum, Aristida, Flinders
grass and a solanum sp.
22613 Longreach
22625 Ch town 1 in 20 yd no specimens

22138 Ifracombe
22652 Austrafrus guttulosa, Peakgosia
melpo black sed. pigm. Degenerat.
scruptibialis, Diplopistaxumlus,
Astrebla Decanthium few Ch termin. fer
Genus nov. 80 sp. 1, Chaetoicetes terminifera
1 in 100 yds.
22680 Barcaldine.

Collecting completed.